

WheelFlow

Dynamic wheel bed design for
maximum flexibility & optimal flow.

We make things move. We make things move.

Euroroll's innovative WheelFlow solution that drops into new and existing structures to create a robust flow system for any operation.

- Ships Preassembled
- Suitable for boxes and totes of all sizes
- Works in all environments
- Variable wheel centers
- Snap-in entry guides and dividers
- Drop-in design for easy installation



MAXIMIZE PRODUCTIVITY AND SPACE.

WheelFlow is Euroroll's innovative carton flow solution that drops into existing structures to create a robust flow system for any operation. Our systems are engineered-to-order to create the ultimate order picking environment.


Features

- Wheel bed supports up to 50 psf with unsupported lengths up to 96"
- Rated for cooler & freezer applications
- Tilt shelf options to allow for split-case picking
- Numerous mounting options available to accommodate all beam types
- Maximum flexibility left-to-right for easy reslotting
- Entry guides and impact trays available for feed end
- Hex hub wheel design for optimal flow

Benefits

- Preassembled and Installs easily to any new or existing pallet rack
- No intermediate supports required
- Maximum space utilization with flexibility for any carton size
- Ideal solution for even the most active warehouses and assembly plants
- Eliminates hang-ups & allows superior lane tracking
- Reduce travel time for order pickers

ø1.9" Hex Hub (W)
Low friction wheel bed design



Need help?
Contact us via
sales@euroroll.com

End Styles



Low Profile

Installs between beams on hangers for maximum use of vertical space. Used for full case or individual picks.



External Tilt Design

External tilt design with or without tray enhance your picking outside the rack. Available in different angles and lengths.





Internal Tilt Design

Angle design inside the rack for ergonomic picking and improved product visibility.

Flow Options


WheelFlow Section Width

Euroroll WheelFlow sections are available in 12" & 15" widths, and can be installed in combination to suit any beam length. Wheel rods are available on 2", 3" or 4" centers front-to-back.




Technical Information

12" WheelFlow



15" WheelFlow



ACCESSORIES & OPTIONS

Contact our Sales:
sales@euroroll.com

Accessories

Custom-designed carton flow solutions often include accessory products to enhance the performance and longevity of your system. Mix and match accessories as needed to tailor your solution.



Impact Tray

Custom fit steel trays take the abuse from repeatedly loading heavy cartons and totes while protecting your wheels or rollers.



Full Length Guides

Low profile clip-in guides allows for lane separation and quick reprofiling of lanes.



Label Holders

Adhesive backed extruded plastic label holder to offer organization and efficiency.

Brackets

We offer all types of mounting brackets based on beam types and application requirements. Custom brackets available.



Step Beam



Channel Beam



Box Beam

Catalogues,
data sheets and
flyers



euroroll

Euroroll GmbH

Raiffeisenstraße 3
59368 Werne
Germany

+49 2389 90041-0

www.euroroll.de

Euroroll USA LLC

1105 W Peachtree Street NE5
Suite 1000, Atlanta GA
USA

+1 416-574-2284

www.euroroll.com

Smart gravity engineering.